

TOWN OF BROOKFIELD
TOWN BOARD MINUTES
MAY 16, 2023

The regular meeting of the Town Board, Sanitary District No. 4, and Utility District No. 1 was held in the Erich Gnant Room of the Town Hall, 645 N Janacek Road, Brookfield, WI.

1) CALL TO ORDER.

The Town Board meeting was called to order by Chairman Henderson at 7:00 p.m. with the following people present: Town Chairman Keith Henderson; Supervisors Steve Kohlmann, Ryan Stanelle, John Schatzman and John Charlier; Sanitary District Superintendent Tony Skof; Town Attorney Michael Van Kleunen; and Administrator/Interim Clerk Tom Hagie.

2) MEETING NOTICES.

The meeting was noticed in accordance with Open Meeting Law.

3) APPROVAL OF AGENDA.

Motion by Supervisor Schatzman to approve the agenda.

Seconded by Supervisor Stanelle.

Motion Passed Unanimously.

4) APPROVAL OF MINUTES.

Motion by Supervisor Stanelle to approve the minutes of May 2, 2023 Town Board meeting with minor changes.

Seconded by Supervisor Kohlmann.

Motion Passed Unanimously.

5) CITIZEN COMMENTS.

None.

6) OLD BUSINESS.

None.

7) NEW BUSINESS.

a. Discussion and possible action regarding annual appointments to Town Committees, Commissions, and Boards.

Motion by Henderson to approve the list of Annual Appointments with changes.

Seconded by Kohlmann.

Motion Passed Unanimously.

b. Discussion and possible action regarding Master Fee Schedule update.

Motion by Supervisor Schatzman to approve the changes to the Master Fee Schedule.

Seconded by Supervisor Stanelle.

Motion Passed Unanimously.

c. Discussion and possible action regarding Elizabeth Court Maintenance Agreement.

Motion by Supervisor Charlier to approve the agreement.

Seconded by Supervisor Kohlmann.

Motion Passed Unanimously.

8) DEPARTMENTS, BOARDS, COMMITTEE/COMMISSION REPORTS/RECOMMENDATIONS:

a. Sanitary District No. 4

i. Discussion and possible action regarding the 2022 Compliance Maintenance Annual Report (CMAR).

Motion by Supervisor Schatzman to approve the report.

Seconded by Supervisor Kohlmann.

Motion Passed Unanimously.

ii. Discussion and possible action regarding Strand Associates Agreement for Technical Services Contract.

Motion by Supervisor Kohlmann to approve the contract with the current fee schedule.

Seconded by Supervisor Schatzman.

Motion Passed Unanimously.

iii. Discussion and possible action regarding Strand Associates Agreement for Poplar Creek Interceptor Lining project.

Motion by Supervisor Schatzman to approve the contract subject to the execution of an intermunicipal agreement with the City of Brookfield.

Seconded by Supervisor Stanelle.

Motion Passed Unanimously.

9) APPROVAL OF VOUCHERS AND CHECKS.

Motion by Supervisor Kohlmann to approve the vouchers and checks dated 5/3/2023-5/16/2023 in the amount of \$297,799.28.

Seconded by Supervisor Charlier.

Motion Passed Unanimously.

10) COMMUNICATION AND ANNOUNCEMENTS

Administrator Hagie commented that the inspection was completed at the Doneswood property. He also noted a meeting he and the Chairman attended early in the day to discuss changes related to the Waukesha County Radio Services contract.

11) ADJOURN

Motion by Supervisor Charlier to adjourn at 7:57 p.m.

Seconded by Supervisor Kohlmann.

Motion Passed Unanimously.

Respectfully submitted,
Tom Hagie
Town Administrator/Interim Clerk

Appointment of Successor Agent – Retail Licenses

Submit this form to your licensing authority with a \$10 processing fee.

If there is a change in agent, each club, corporation, or limited liability company that holds a retail license to sell fermented malt beverages and/or intoxicating liquor must appoint a successor agent and have the appointment approved by the licensing authority pursuant to sec. 125.04(6), Wis. Stats. The following questions must be answered by the agent, and the appointment must be signed by an officer of the corporation/organization or one member of the limited liability company (only one signature is required).

Section 1: Licensee Information and Acknowledgement

Licensee Name

ALDI #18

Reason for Cancellation of Appointed Agent

Store Manager change (transferred from another ALDI location)

The undersigned appoints Makayla Louise Olson as agent in accordance with sec. 125.04(6), Wis. Stats.

(see attached)
Signature of President / Member

Date

Section 2: Agent Information and Acknowledgement

Agent Name

Makayla Louise Olson

Mailing Address	City or Post Office	State	Zip Code
165 Walton Ave.	Waukesha	WI	53186

Agent Questions

Agent Questions	Yes	No
1. Are you of legal drinking age?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Have you been a resident of Wisconsin for at least 90 continuous days prior to the date of appointment as agent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Have you ever been convicted of a federal law violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Have you ever been convicted of a state law violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Have you ever been convicted of a local ordinance violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6. Have you completed the required responsible beverage server training course per sec. 125.04(5)(a)5, Wis. Stats.? . . .	<input checked="" type="checkbox"/>	<input type="checkbox"/>

UNDER PENALTY OF LAW, I declare that my answers above are true and correct to the best of my knowledge and belief.

I hereby accept appointment as agent for ALDI #18 and assume full responsibility of the conduct of the business relative to fermented malt beverages and intoxicating liquors.

Makayla Olson
Signature of Agent

5/31/2023
Date

Section 3: Licensing Authority Approval

Municipality Name

Signature of Official

Date

Title of Official

Rec.# 2.032768 (\$10⁰⁰)

Appointment of Successor Agent – Retail Licenses

Submit this form to your licensing authority with a \$10 processing fee.

If there is a change in agent, each club, corporation, or limited liability company that holds a retail license to sell fermented malt beverages and/or intoxicating liquor must appoint a successor agent and have the appointment approved by the licensing authority pursuant to sec. 125.04(6), Wis. Stats. The following questions must be answered by the agent, and the appointment must be signed by an officer of the corporation/organization or one member of the limited liability company (only one signature is required).

Section 1: Licensee Information and Acknowledgement


Licensee Name _____

ALDI #18

Reason for Cancellation of Appointed Agent _____

Store Manager change (transferred from another ALDI location)

The undersigned appoints Makayla Louise Olson as agent in accordance with sec. 125.04(6), Wis. Stats.


Signature of President/Member

5/30/2023
Date

Section 2: Agent Information and Acknowledgement

Agent Name _____

Makayla Louise Olson

Mailing Address	City or Post Office	State	Zip Code
165 Walton Ave.	Waukesha	WI	53186

Agent Questions	Yes	No
1. Are you of legal drinking age?	<input type="checkbox"/>	<input type="checkbox"/>
2. Have you been a resident of Wisconsin for at least 90 continuous days prior to the date of appointment as agent?	<input type="checkbox"/>	<input type="checkbox"/>
3. Have you ever been convicted of a federal law violation?	<input type="checkbox"/>	<input type="checkbox"/>
4. Have you ever been convicted of a state law violation?	<input type="checkbox"/>	<input type="checkbox"/>
5. Have you ever been convicted of a local ordinance violation?	<input type="checkbox"/>	<input type="checkbox"/>
6. Have you completed the required responsible beverage server training course per sec. 125.04(5)(a)5, Wis. Stats.? . . .	<input type="checkbox"/>	<input type="checkbox"/>

UNDER PENALTY OF LAW, I declare that my answers above are true and correct to the best of my knowledge and belief.

I hereby accept appointment as agent for ALDI #18 and assume full responsibility of the conduct of the business relative to fermented malt beverages and intoxicating liquors.

Signature of Agent

Date

Section 3: Licensing Authority Approval

Municipality Name _____

Signature of Official

Date

Title of Official

Rec. # 2032768 (\$10⁰⁰)

STATE OF WISCONSIN:

TOWN OF BROOKFIELD:

WAUKESHA COUNTY:

RESOLUTION #2023-05

**RESOLUTION UPDATING THE TOWN OF BROOKFIELD
MASTER FEE SCHEDULE**

WHEREAS, under the Town of Brookfield Code, the Town Board for the Town of Brookfield may from time to time update all or portions of its Master Fee Schedule by adoption of a resolution; and

WHEREAS, by adoption of this Resolution, the Town Board desires to update certain portions of its Master Fee Schedule, as further shown on the attached **Exhibit A**.

NOW, THEREFORE, BE IT RESOLVED, the Town of Brookfield Master Fee Schedule shall be revised and updated in accordance with Exhibit A attached to this Resolution;

BE IT FURTHER RESOLVED that all other fees on the Master Fee Schedule shall remain in full force and effect.

Adopted this 6th day of June, 2023.

BY: _____
Keith Henderson, Chairman

BY: _____
John Charlier, Supervisor

BY: _____
Steve Kohlmann, Supervisor

BY: _____
John R. Schatzman, Sr., Supervisor

BY: _____
Ryan Stanelle, Supervisor

ATTEST: _____
Tom Hagie, Interim Clerk

**TOWN OF BROOKFIELD
PLANNING COMMISSION RECOMMENDATIONS
MAY 23, 2023**

Town Chairman Keith Henderson called the meeting to order at 7:02pm on Tuesday, May 23, 2023, at the Town of Brookfield Town Hall, 645 North Janacek Road, Brookfield, Wisconsin. Also present at the meeting was Supervisor Ryan Stanelle; Commissioners Gordon Gaeth, Len Smeltzer, William Neville, Kevin Riordan, and Jeremy Watson; and Town Planner Bryce Hembrook.

RECOMMENDATION TO SCHEDULE A PUBLIC HEARING FOR A ZONING CODE TEXT AMENDMENT RELATED TO ADULT AND CHILDREN DAY CARE CENTERS

Commissioner Watson moved to **recommend scheduling a public hearing** for the June 27th Plan Commission meeting for a Zoning code Text Amendment related to adult and children day care centers.

The motion was seconded by Commissioner Gaeth, voted on, and carried unanimously.

TOWN OF BROOKFIELD FOR A RECOMMENDATION OF APPROVAL FOR A ZONING CODE TEXT AMENDMENT TO SECTION 17.02(14)(B)1, RELATED TO CONDITIONAL USE PERMIT PROCEDURES

Commissioner Watson moved to **recommend approval** of the proposed Zoning Code Amendment to Section 17.02(14)(B)1, related to Conditional Use Permit Procedures.

The motion was seconded by Commissioner Smeltzer, voted on, and carried unanimously.

ORDINANCE AMENDING, OR REPEALING AND RECREATING, CERTAIN PROVISIONS IN CHAPTER 17 OF THE MUNICIPAL CODE OF THE TOWN OF BROOKFIELD

NOW THEREFORE, the Town Board of the Town of Brookfield, Wisconsin does ordain as follows:

SECTION 1: The following provision of Section 17.01 of the Town Code is hereby stricken and removed from the Town Code:

DAY-CARE CENTER

An establishment providing care and supervision for four or more persons under the age of seven, licensed by the state under § 48.65, Wis. Stats.

SECTION 2: The following provision of Section 17.01 of the Town Code is hereby repealed and recreated to read as follows:

FAMILY CHILD CARE HOME

A dwelling licensed as a child care center by the state under §§ 48.65 and 66.1017, Wis. Stats., where care is provided for not more than eight children.

SECTION 3: Section 17.01 of the Town Code shall be amended to include the following provision:

COMMERCIAL DAYCARE CENTER

A child care center licensed by the state under § 48.65, Wis. Stats., where care and supervision is provided for four or more children under the age of seven for less than 24 hours a day, or an adult day care center licensed by the state under § 49.45(47), Wis. Stats., that provides services for part of a day in a group setting to adults who need an enriched health-supportive or social experience and who may need assistance with activities of daily living, supervision or protection. A family child care home is not a commercial daycare center.

SECTION 4: The following provision of Section 17.01 of the Town Code is hereby repealed and recreated to read as follows:

COMMUNITY LIVING ARRANGEMENT

The following facilities licensed and operated or permitted under the authority of the Wisconsin Statutes: child welfare agencies under § 48.60, group foster homes for children under § 48.02(7), and, adult family homes and community-based residential facilities under § 50.033; but does not include commercial daycare centers, nursing homes, general hospitals, special hospitals, prisons or jails. The establishment of community living arrangements is governed by §§ 46.03(22), 59.69(15), 60.23, and 62.63(7)(i), Wis. Stats.

SECTION 5: “Family day care homes” in Sections 17.04(4)(a)4., 17.04(5)(a)4., 17.04(6)(a)4., 17.04(7)(a)4., 17.04(8)(a)4., 17.04(9)(a)4., 17.04(10)(a)4. of the Town Code shall be stricken and replaced with “Family child care homes”.

SECTION 6: “Commercial day-care centers” in Section 17.04(12)(a) of the Town Code shall be stricken and removed from the Town Code.

SECTION 7: Section 17.06(3)(h)6.h.iii. of the Town Code is hereby repealed and recreated to read as follows:

Children's nursery schools and commercial daycare centers: one space per employee for the work shift with the greatest number of employees, plus one space per six students at the highest class attendance period.

SECTION 8: Section 17.02(14)(b)4.i. of the Town Code is hereby repealed and recreated to read as follows: “Commercial daycare centers in B-2 Limited General Business District and B-3 Office and Professional Districts.”.

SECTION 9: Except as expressly provided by this Ordinance, all other provisions contained in the Town Code shall remain in full force and effect.

SECTION 10: All ordinances or parts of this Ordinance conflicting or contravening the provisions of this Ordinance are hereby repealed.

SECTION 11: This Ordinance shall take effect upon passage and posting or publication as provided by law.

PASSED AND ADOPTED by the Town Board of the Town of Brookfield, Waukesha County, Wisconsin this _____, day of _____, 2023.

By: _____
Keith Henderson, Chairman

By: _____
Steve Kohlmann, Supervisor

By: _____
John Charlier, Supervisor

By: _____
John R. Schatzman, Supervisor

By: _____
Ryan Stanelle, Supervisor

Attest: _____
Tom Hagie,
Administrator and Interim Clerk

Ord. No.: _____

ORDINANCE CREATING SECTION 17.02(14)(B)1.K. OF THE MUNICIPAL CODE OF THE TOWN OF BROOKFIELD

NOW THEREFORE, the Town Board of the Town of Brookfield, Wisconsin does ordain as follows:

SECTION 1: Section 17.02(14)(b)1.k. of the Town Code is hereby created to read as follows:

Effect of denial. If an application for a conditional use permit is denied, a new application for the same conditional use or an application for a similar use will not be considered by the Town Board for a period of 12 months from the date of denial, except on grounds of new evidence, as determined by the Zoning Administrator.

SECTION 2: All other provisions of the Town Code shall remain in full force and effect.

SECTION 3: All ordinances or parts of this ordinance conflicting or contravening the provisions of this ordinance are hereby repealed.

SECTION 4: This ordinance shall take effect upon passage and posting or publication as provided by law.

PASSED AND ADOPTED by the Town Board of the Town of Brookfield, Waukesha County, Wisconsin this _____, day of _____, 2023.

BY: _____
KEITH HENDERSON, Chairman

BY: _____
STEVE KOHLMANN, Supervisor

BY: _____
JOHN CHARLIER, Supervisor

BY: _____
JOHN R. SCHATZMAN, Supervisor

BY: _____
RYAN STANELLE, Supervisor

ATTEST: _____
Tom Hagie, Administrator and
Interim Clerk

Brookfield Sanitary District No.4

Water & Wastewater PLC/Radio Upgrades

Altronex Control Systems

Water and Wastewater Integration Solutions



Altronex Control Systems

A Division of L.W. Allen LLC

4633 Tompkins Drive

Madison, WI 53716

608.222.8622

<http://www.lwallen.com>



Phone 608.222.8622
Fax 608.222.9414

Altronex Control Systems

A Division of L. W. Allen, LLC

4633 Tompkins Drive
Madison, WI 53716

TABLE OF CONTENTS

SCOPE OF SUPPLY	1
COST SUMMARY.....	2
KEY PERSONNEL.....	3
CLARIFICATIONS AND EXCEPTIONS.....	4
SIMILAR INSTALLATIONS.....	5
REFERENCES.....	6



Name	Customer	Proposal#	Due/Bid Date
Brookfield Sanitary District 4, WI - Water/WW PLC/Radio Upgrades 2023	Brookfield Sanitary District 4, WI	20230597	5/31/2023, 1:00 PM

Scope

Brookfield, WI Sanitary District No.4 is requesting a proposal for an RFP issued May 17, 2023. The RFP primarily updates the aging PLC and radio at the Water and Wastewater sites. Below is our proposal for the Brookfield Sanitary District 4 Water & Wastewater PLC-Radio Upgrades.

Specifications

- RFP Booklet issued on May 17, 2023

Scope and Supply

- **Well 1 & 2 Supervisory Control Center SCC-1**
 - Remove and turn over to owner
 - 24VDC Power Supply
 - Micrologix 1500 PLC
 - Industrial Ethernet Switch
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC
 - 1769-L33ER
 - 1769-PA2
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cables as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliacx, 1/2"
 - Antenna Mast as needed
- **Well 2 Supervisory Control Center SCC-2**
 - Remove and turn over to owner
 - 24VDC Power Supply
 - Micrologix 1500 PLC
 - Industrial Ethernet Switch
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC

- 1769-L33ER
- 1769-PA2
- I/O Cards needed
- Industrial Ethernet Switch
 - Ethernet Cables as needed
- MDS Orbit Radio
 - 900 MHZ
- Antenna
- Antenna Cable
 - Heliax, ½"
- Antenna Mast as needed
- **Well 3 & 4 Supervisory Control Center SCC-Main**
 - Remove and turn over to owner:
 - 24VDC Power Supply
 - Allen Bradley SLC PLC
 - Short Haul Modem
 - Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC
 - 1769-L33ER
 - 1769-PA2
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cables as needed
 - Ethernet SPD
 - Reuse the following equipment
 - Panelview 600
 - Micrologix 1100
 - N-Tron Cellular Radio
 - Cellular Antenna
- **Well 4 Supervisory Control Center SCC-3**
 - Remove and turn over to owner
 - 24VDC Power Supply
 - Micrologix 1500 PLC
 - Industrial Ethernet Switch
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC
 - 1769-L33ER
 - 1769-PA2
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cable as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, ½"
 - Antenna Mast as needed
- **Wells 3 & 4 Filter Control Panel**
 - Remove and turn over to owner
 - Micrologix 1500
 - Provide and install
 - CompactLogix PLC



- 1769-L33ER
- 1769-PA2
- I/O Cards needed

• **Wells 5 & 6 Mary Lynn Metering Station**

- Remove and turn over to owner
 - 24 VDC Power Supply
 - Micrologix 1500
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
- Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC
 - 1769-L33ER
 - 1769-PA2
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cable as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, 1/2"
 - Antenna Mast as needed

• **Elevated Water Tower 1 Radio Panel**

- Remove and turn over to owner
 - 24VDC Power Supply
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Short Haul Modem
- Provide and install
 - 24VDC Power Supply
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, 1/2"
 - Antenna Mast as needed
 - Ethernet SPD

• **Elevated Water Tower 2 Supervisory Control Center**

- Remove and turn over to owner
 - 24 VDC Power Supply
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
- Provide and install
 - 24VDC Power Supply
 - CompactLogix PLC
 - 1769-L24ER
 - Industrial Ethernet Switch
 - Ethernet Cable as needed
 - MDS Orbit Radio
 - 900 MHZ



- Antenna
- Antenna Cable
 - Heliax, ½”
- Antenna Mast as needed
- **Cherokee Lift Station**
 - No Changes
- **Gray Fox Metering Station**
 - Remove and turn over to owner
 - 24 VDC Power Supply
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24 VDC Power Supply
 - CompactLogix PLC
 - 1769-L24ER
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cables as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, ½”
- **Springdale Sanitary Metering Station**
 - Remove and turn over to owner
 - 24 VDC Power Supply
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24 VDC Power Supply
 - CompactLogix PLC
 - 1769-L24ER
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cables as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, ½”
- **I-94 Metering Station**
 - Remove and turn over to owner:
 - 24 VDC Power Supply
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and Install
 - 24 VDC Power Supply
 - CompactLogix PLC
 - 1769-L24ER



- I/O Cards needed
- Industrial Ethernet Switch
 - Ethernet Cables as needed
- MDS Orbit Radio
 - 900 MHZ
- Antenna
- Antenna Cable
 - Heliax, ½"
- **Summit Lawns Metering Station**
 - Remove and turn over to owner
 - 24 VDC Power Supply
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - 24 VDC Power Supply
 - CompactLogix PLC
 - 1769-L24ER
 - I/O Cards needed
 - Industrial Ethernet Switch
 - Ethernet Cables as needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, ½"
- **Brookfield WPCP Metering Station**
 - Remove and turn over to owner
 - Micrologix 1500 PLC
 - MDS TransNet Radio
 - Antenna
 - Antenna Cable
 - Antenna Mast as needed
 - Provide and install
 - CompactLogix PLC
 - 1769-L33ER
 - 1769-PA2
 - I/O Cards needed
 - MDS Orbit Radio
 - 900 MHZ
 - Antenna
 - Antenna Cable
 - Heliax, ½"
- **Radio Survey**
 - Provide desktop radio survey
 - Include all sites above
 - Provide field radio survey to confirm software results
- **Clarifications**
 - The SCADA Computer is to Remain
 - No modifications will be made to the computer or Wonderware App
 - No Control Changes will be made to any PLC at any site.

Altronex Control Systems Professional Services

- Engineering and Design
- Documentation



- CAD Design
- PLC Programming
- Factory Testing
- Startup and Commissioning
- 2 Year Warranty

Items specifically not included in this proposal

1. Sales or use tax
2. Liquidated Damages of any kind
3. Performance, payment, or equipment bond of any kind
4. Fiber optic cable, connectors, patch panels, termination and/or testing
5. Electrical testing services

Respectfully submitted by,



Kurt Atwood
Business Development Manager
katwood@lwallen.com
(608) 210-1455

Acceptance of Proposal (Purchase Order or Signature) – The preceding prices, specifications and attached terms and conditions of sale are satisfactory and hereby accepted. You are authorized to proceed.

Signature

Name Print/Type

Official Position

Date



Standard Terms and Conditions

Controlling Provisions: The terms and conditions and supplemental exhibits contained herein (the "Terms and Conditions") shall supersede any provisions, terms, and conditions contained on any purchase order or other written form any direct buyer ("Buyer") may use or provide (whether received by S.J. Electro Systems, Inc. or any of its subsidiaries or affiliates (collectively, "SJE") prior or subsequent to the date hereof), and the rights of the parties shall be governed exclusively by the Terms and Conditions as described herein. SJE sells certain services, products, replacement parts and related software (collectively, the "Goods"). The purchase of the Goods is governed by the Terms and Conditions. Any communication by Buyer to purchase Goods will be treated by SJE as a request to purchase the Goods. The response, however communicated, will be understood by all parties as an agreement by SJE to sell to Buyer the requested Goods pursuant to the Terms and Conditions. **SJE specifically opposes any terms or conditions that are in addition to or different from the Terms and Conditions, unless specifically agreed to in each instance in writing by SJE.**

Quotations, Acceptance, and Agreements: Any quotation is a good faith estimate. To the extent that SJE has been provided by or on behalf of Buyer any specifications, description of operating conditions or other data and Information In connection with the selection or design of the Goods, and the actual operating conditions or other circumstances differ from those provided by Buyer and relied upon by SJE, any warranties or other provisions contained herein which are affected by such conditions shall be null and void.

Acceptance of a quotation, whether by a separate purchase order or by other means, shall constitute an acknowledgement and approval of the quotation as written and an acceptance of the Terms and Conditions. Written quotations which have not been finalized by a binding purchase order shall expire on the date specified in the quotation or, in the absence of such specification, thirty (30) calendar days from the date issued. SJE may revise or withdraw a quotation at any time prior to the finalization of a binding purchase order.

Per company policy, a separate written agreement signed by both parties or a purchase order accepted and acknowledged by SJE is required to form any legally binding agreement.

Intellectual Property: All devices, patents, designs (including drawings, plans and specifications), software existing or to be developed, estimates, prices, notes, memos, summaries, electronic data and other documents or information prepared or disclosed by SJE shall remain the sole intellectual property of SJE. Following acceptance and final payment, SJE shall grant to Buyer a non-transferable, non-exclusive license for use and sale of the Goods.

Credit Approval: The credit terms granted on each order are subject to SJE's continuing approval of Buyer's credit. SJE may withdraw the extension of credit and require modified payment terms if, in SJE's sole judgment, Buyer's credit or financial standing is impaired such that SJE in good faith deems payment insecure.

Prices and Taxes: All prices are FOB shipping point, unless otherwise stated or referenced in attached exhibits. All prices are subject to any commercially reasonable additions that may be necessary to cover any duties, taxes or charges. All prices are in U.S. Dollars. Prices may be subject to change without notice.

Shipping Policy: Shipping and handling charges cover the transportation of the Goods from SJE's warehouse to Buyer, unless otherwise specified. Standard shipping rates are assessed upon placement of order. SJE uses many methods of shipment including UPS shipping services but reserves the right to substitute carriers without notice. UPS next-day air, UPS second-day air, UPS three-day ground, UPS Express and UPS Expedited are services available to Buyer for expediting orders. Expedited orders will be shipped based on the method Buyer selects. These services may not be available for shipment into all countries.

While SJE will use all reasonable commercial efforts to maintain the delivery date(s) acknowledged or quoted by SJE, all shipping dates are approximate and not guaranteed. SJE reserves the right to make partial shipments. SJE, at its option, shall not be bound to tender delivery of any Goods for which Buyer has not provided shipping instructions and other required information. If the shipment of the Goods is postponed or delayed by Buyer for any reason, Buyer agrees to reimburse SJE for any and all storage costs and other additional expenses resulting therefrom. The actual shipping weights may vary.

Title, Risk of Loss, Inspection of Equipment: Title and risk of loss to the Goods shall pass to Buyer upon delivery of the Goods to the respective delivery carrier. Buyer shall immediately inspect the Goods upon receipt and any damage must be noted on the delivery carrier's bill of lading at time of receipt. SJE is not liable for any damages caused by shipping. SJE is not liable for any shortages or nonconformance unless notified by Buyer within two (2) business days of Buyer's receipt of the Goods.

Operations/Maintenance Manuals: Installation, maintenance and operation manuals will be furnished to Buyer in the number of copies specified at the time of quotation or order. Additional copies subject to charges as outlined in attached exhibits.

Installation and Use: Buyer will be solely responsible for the proper application, installation and service of the Goods. Installation instructions are supplied by SJE and must be followed.

Export/Import: Buyer agrees that all applicable import and export control laws, regulations, orders and requirements, including, but not limited to, those of the United States and the European Union, and the jurisdictions in which SJE and Buyer are established or from which Goods may be supplied, will apply to their receipt and use. In no event shall Buyer use, transfer, release, import, or export Goods in violation of such applicable laws, regulations, orders or requirements.

Payment: Buyer shall pay SJE the full purchase price as set forth in the respective order between SJE and Buyer. Unless otherwise agreed to in writing between SJE and Buyer, freight, storage, insurance, taxes, duties, and any governmental charges relating to the Goods shall be paid by Buyer. If SJE is required to pay any such charges, Buyer shall immediately reimburse SJE upon notice from SJE of same. All payments are due within approved credit terms. Buyer may be charged the lower of 1.5% interest per month or the maximum legal rate on all amounts not received by the due date described therein.

Security Interest: SJE shall retain a security interest in the Goods until the full purchase price has been paid. Buyer's failure to pay any amounts due, including interest, shall give SJE the right to possession and removal of the Goods after providing ten (10) days written notice to Buyer. SJE's taking of such possession shall be without prejudice to any other remedies SJE may have.

Changes, Cancellations, Returns: Buyer may request changes or additions to the Goods consistent with SJE's specifications and criteria. In the event such changes or additions are accepted by SJE, SJE shall have the absolute right to revise the prices and dates of delivery, and to add charges for work and materials rendered unnecessary by such changes or additions. All changes, cancellations, or returns must have SJE prior written approval and subject to restocking fees and service charges. Authorized returns must be packaged and shipped prepaid to SJE.

Return Policy: SJE will only accept Goods returned within one (1) year from the date of manufacture, un-used, and current production models. Returned Material Authorization ("RMA") numbers must be assigned to any Goods Buyer wishes to return for credit. To obtain an RMA, Buyer must contact SJE's Service Center at 218-847-1317 or toll free at 888-342-5753. Buyer is responsible for payment of return shipping fees unless such returned Goods result from an SJE order processing error. Upon return, SJE shall reimburse Buyer for the return freight resulting from the return of Goods due to such SJE order processing error. In the event of any return in compliance with this paragraph, SJE will provide Buyer credit for the returned Goods and work to reship correct Goods to Buyer. SJE reserves the right to refuse acceptance of returned Goods after inspection. SJE will not accept returns for Goods that are custom-built for Buyer as such items cannot be resold by SJE; however, custom-built Goods remain subject to applicable warranty provisions in each case.

Notwithstanding the foregoing (and so long as the return is not due to an order processing error of SJE), a restocking fee shall be charged to Buyer for returned Goods as outlined in the attached Exhibits.

Force Majeure: SJE shall not be liable or responsible to Buyer, nor be deemed to have defaulted under or breached any agreement with Buyer, for any failure or delay in fulfilling or performing any term of any agreement with Buyer, when and to the extent such failure or delay is caused by or results (directly or indirectly) from acts beyond SJE's reasonable control, including, without limitation: (a) acts of God; (b) flood, fire, earthquake or explosion; (c) war, invasion, hostilities (whether war is declared or not), terrorist threats or acts, riot or other civil unrest; (d) government order or law; (e) actions, embargoes or blockades in effect on or after the date of any subject agreement between SJE and Buyer; (f) action by any governmental authority; (g) national or regional emergency; (h) strikes, labor stoppages or slowdowns or other industrial services; or (i) any other cause beyond the reasonable control of SJE.

Indemnification and Default: In addition to all other amounts due hereunder, Buyer shall reimburse SJE in full for all collection costs or charges, including reasonable attorney fees, which SJE may incur in the collection of any past due amounts from Buyer, including applicable interest on overdue accounts. If Buyer is in default under this or any other agreement with SJE, SJE may defer performance hereunder until such default is resolved. SJE shall have no obligation to provide factory startup assistance or factory training (when requested) until all invoices (including retentions) for equipment have been paid in full. Furthermore, SJE shall have no liability to Buyer to the extent Buyer damages, or any damages are suffered by, or claims are made against Buyer as a result of Buyer's negligence, willful misconduct, misrepresentation of any Goods, or failure to utilize the Goods properly.

Warranty and Liability: During the warranty period, Buyer's exclusive remedy will be either repair or replacement, at the sole discretion of SJE and subject to the Terms and Conditions of any component which proves to be defective due to defective materials or workmanship of SJE.

SJE DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, AND SJE SHALL NOT, IN ANY MATTER, BE LIABLE FOR ANY SPECIAL, INDIRECT, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LIQUIDATED DAMAGES, OR PENALTIES THAT RESULT FROM A BREACH OF CONTRACT, BREACH OF WARRANTY (EXPRESS OR IMPLIED), STRICT LIABILITY, PRODUCT LIABILITY OR OTHERWISE. IN NO EVENT SHALL SJE'S LIABILITY TO BUYER OR ANY OTHER PARTY EXCEED THE LESSER OF (i) THE COST OF REMEDIATING ANY DEFECT OR DEFICIENCY IN THE PERFORMANCE OF SJE HEREUNDER OR (ii) THE PURCHASE PRICE OF THE GOODS IN RESPECT OF WHICH THE CLAIM IS MADE.

ANY ELECTRICAL WIRING AND SERVICING OF THE GOODS MUST BE PERFORMED BY A LICENSED ELECTRICIAN. WARRANTY CLAIMS FOR GOODS WHICH WERE AT ANY TIME WIRED OR SERVICED BY ANYONE OTHER THAN A LICENSED ELECTRICIAN SHALL NOT BE HONORED IN WHOLE OR PART BY SJE.

Furthermore, this warranty shall not apply to: (a) damage due to any weather-related or other conditions beyond the control of SJE; (b) defects or malfunctions resulting from the Goods not installed, operated, or maintained in accordance with instructions provided, applicable local codes, ordinances, or accepted trade practices; (c) failures resulting from abuse, misuse, accident, or negligence; or (d) Goods repaired and/or modified without prior written authorization from SJE.

Some states do not allow limitations on implied warranty duration, as such, this limitation may not apply to Buyer. Some states do not allow the exclusion or limitation of incidental or consequential damages, as such, these limitations or exclusions may not apply to Buyer. The above-described warranty gives Buyer specific legal rights, and Buyer may also have other rights which vary from state to state.

TO OBTAIN WARRANTY SERVICE: Buyer shall assume all responsibility and expense for removal, reinstallation, and freight associated with any warranty service. Any Goods to be repaired or replaced under this warranty must be returned to SJE, or such place as designated by SJE. Buyer can contact SJE Service Center at 218-847-1317 or toll free at 888-342-5753 for an RMA on any Goods being submitted for a warranty claim.

Applicable Law and Forum: Any disputes between Buyer and SJE shall be venued in Becker County District Court in the State of Minnesota. Buyer agrees to submit to such jurisdiction and agrees that the dispute shall be governed by and construed in accordance with the laws of the State of Minnesota without giving effect to any choice or conflict of law provision or rule.





Phone 608.222.8622
Fax 608.222.9414

Altronex Control Systems

A Division of L. W. Allen, LLC.

Excellence. By Design

4633 Tompkins Drive
Madison, WI 53716

Cost Summary

Request for Proposal

RFP – Water/Wastewater PLC/Radio Upgrades			\$ 230,487
Product	Manufacturer	Lead Time	
Programmable Logic Controller	Allen Bradley	270 Days	
Radios	MDS	60 Days	

Altronex Control Systems Professional Services Billing Rate

Service	Mileage	\$/Hour
Engineering	.56/Mile	\$150
Programming	.56/Mile	\$150
Service Technician	.56/Mile	\$114

*Altronex Control Systems does not have a minimum service charge. We will try to minimize the cost to the customer by sharing service calls with other customers and splitting the mileage or doing work while we are in the area.



Phone 608.222.8622
Fax 608.222.9414

Altronex Control Systems

A Division of L. W. Allen, LLC

4633 Tompkins Drive
Madison, WI 53716

Project Key Personnel

Kurt Atwood — Business Development Manager: 15 years of experience in field service of electrical switchgear and control equipment including instrumentation, PLC systems, variable speed drives and computer systems for water/wastewater systems

BS in Electrical Engineering, University of Wisconsin – Madison

Paul Hamelink — Electrical Engineer, Engineering Manager: 29 years of experience in field service software design, application, design and sales engineering of electrical switchgear and control equipment including instrumentation, SCADA, PLC systems, variable speed drives and computer systems for water/wastewater systems.

BS in Electrical Engineering, University of Wisconsin – Madison

Chad Werner — Programming Manager: 25 years of experience in software development, design, and application in electrical switchgear and control equipment including instrumentation, SCADA, PLC systems, variable speed drives, and computer systems for water/wastewater systems.

BS in Electronic Engineering Technology, Herzing College of Technology

Jim Seidel — Electrical Service Technician: 24 years of experience in electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

Company Key Personnel

Mark Kane — Operations Manager: 32 years of experience in field service, software design, application, design and engineering of electrical switchgear and control equipment including instrumentation, SCADA, PLC systems, variable speed drives and computer systems for water/wastewater systems.

BS in Electronic Engineering and Computer Technology, Herzing College of Technology
Certified Master Electrician

Kurt Atwood — Business Development Manager: 15 years of experience in field service of electrical switchgear and control equipment including instrumentation, PLC systems, variable speed drives and computer systems for water/wastewater systems

BS in Electrical Engineering, University of Wisconsin – Madison

Alan Clemens — Business Development Manager: 13 years of experience in electrical panel assembly and electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

AS in Electronics Technology – MATC



Phone 608.222.8622
Fax 608.222.9414

Altronex Control Systems

A Division of L. W. Allen, LLC

4633 Tompkins Drive
Madison, WI 53716

Paul Hamelink — Electrical Engineer, Engineering Manager: 29 years of experience in field service software design, application, design and sales engineering of electrical switchgear and control equipment including instrumentation, SCADA, PLC systems, variable speed drives and computer systems for water/wastewater systems.

BS in Electrical Engineering, University of Wisconsin - Madison

Jack Buckles — Electrical Engineer: 2 years of experience in field service of electrical switchgear and control equipment including instrumentation, PLC systems, variable speed drives and computer systems for water/wastewater systems

BS in Electrical Engineering, University of Wisconsin – Madison

Samantha Schulz — Electrical Engineer: 2 years of experience in field service of electrical switchgear and control equipment including instrumentation, PLC systems, variable speed drives and computer systems for water/wastewater systems

AS in Electronics Technology – MATC

Chad Werner — Programming Manager: 25 years of experience in software development, design, and application in electrical switchgear and control equipment including instrumentation, SCADA, PLC systems, variable speed drives, and computer systems for water/wastewater systems.

BS in Electronic Engineering Technology, Herzing College of Technology

Paul Statz — Software Engineer: 11 years of experience in electrical troubleshooting, design, marketing and application of control equipment including instrumentation, SCADA, PLC systems, variable speed drives, computer systems and networking with specific experience in the OEM, automotive and for water/wastewater industries.

AS in Applied Science, Robotics and Automation – Des Moines

Andrew Stortecky — Software Engineer: 12 years of experience in software design and application of control equipment including instrumentation, SCADA, PLC systems and computer systems.

BS in Electrical Engineering, University of Minnesota

Tim Stanton — Software Engineer: 11 years of experience in electrical troubleshooting, design, marketing and application of control equipment including instrumentation, SCADA, PLC systems, variable speed drives, computer systems and networking with specific experience in the OEM, automotive and for water/wastewater industries.

BS in Industrial Technology Management, University of Wisconsin - Platteville

Travis Becker — Software Engineer: 6 years of experience in electrical field service in electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

BS in Electronic Engineering and Computer Technology, Herzing College of Technology



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

John Schulz — Service Manager: 27 years of experience in field service and application engineering of electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems for water/wastewater systems.

AS in Electronic Engineering Technology, Wisconsin School of Electronics

Harold Jansen — Quality Control & Final Test: 24 years of experience in electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

AS in Electronics, North Central Technical College.

Dave Meisner — Electric Service Coordinator: 9 years of experience in electrical panel assembly and electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems

Brian Hoth — Electrical Service Technician: 27 years of experience in electrical field service in electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

AS in Electronic Engineering Technology, Wisconsin School of Electronics

Jim Seidel — Electrical Service Technician: 24 years of experience in electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

Matt Thompson — Electrical Service Technician: 10 years of experience in electrical panel assembly and electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.

Chris Rindy — Electrical Service Technician: 5 years of experience in electrical panel assembly and electrical field service dealing with electrical switchgear and control equipment including instrumentation, telemetry, PLC systems, variable speed drives, and computer systems.



Phone 608.222.8622
Fax 608.222.9414

Altronex Control Systems

A Division of L. W. Allen, LLC

4633 Tompkins Drive
Madison, WI 53716

Adam Oberfoell — CAD Designer/Expediter: 18 years of experience in parts purchasing and CAD drawing development.

AS in Computer Aided Design, Herzing College of Technology

Erin Roske — Publications Coordinator: 20 years of experience in submittal and O&M manual preparation.

Travis Clark — Production Manager: 17 years of experience in production management of electrical switchgear, telemetry, and control systems.

Todd Mckee — Assembler / Trainer: 16 years of experience in production and installation of electrical control systems.

Josh Williams — Assembler / Shipping: 13 years of experience in production and installation of electrical control systems.

Pete Howery — Assembler / Installer: 5 years of experience in production and installation of electrical control systems.

Chris Rindy — Assembler / Installer: 3 years of experience in production and installation of electrical control systems.



Altronex Control Systems

A Division of L. W. Allen, LLC.

Excellence. By Design

Phone 608.222.8622

Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Clarifications and Exceptions


Clarifications

1. The SCADA computer or software will not be upgraded in this project.
2. The SCC-Main Panelview will not be upgraded or modified.
3. The Ethernet cable from SCC-Main to the Elevated Tower will be reused.

Exceptions

No Exceptions taken.


Altronex Control Systems - Wisconsin Integration




Copyright © 1988-2001 Microsoft Corp. and/or its suppliers. All rights reserved. <http://www.microsoft.com/mappoint>

© Copyright 2000 by Geographic Data Technology, Inc. All rights reserved. © 2000 Navigation Technologies. All rights reserved. This data includes information taken with permission from Canadian authorities © Her Majesty the Queen in Right of Canada. © Copyright 2000 by Compusearch Micromarketing Data and Systems Ltd.

Altronex Control Systems - Wisconsin Integration (North)



Altronex Control Systems - Wisconsin Integration (South)



Copyright © 1988-2001 Microsoft Corp. and/or its suppliers. All rights reserved. <http://www.microsoft.com/mappoint>
© Copyright 2000 by Geographic Data Technology, Inc. All rights reserved. © 2000 Navigation Technologies. All rights reserved. This data includes information taken with permission from Canadian authorities © Her Majesty the Queen in Right of Canada. ©
Copyright 2000 by Compusearch Micromarketing Data and Systems Ltd.



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Control System Installations - Page 1

Abbotsford	Bellevue	Campbellsport
Adams	Beloit Krueger Golf Course	Cargill Malt
Adell WWTP	Beloit, Town of	Casco
Albany	Benton	Cashton
Algoma	Berlin	Cazenovia
Allenton	Bethel Living Center	Channahon
Alliant Energy	Birchwood	Chaseburg
Allouez	Black Creek	Chilton
Alma	Black River Falls	Chippewa Falls
Alma Center	Blackhawk Country Club	Chippewa Falls WWTP
Altoona	Blair	Christmas Mtn
Antioch	Blanchardville	Chula Vista
Arcadia	Bloomer	Cleveland
Arena	Blue Mounds	Clyman
Arkansaw	Blue River H2O	Colby
Arlington	Bluffview	Colfax
Arpin	Bonduel	Coloma
Asbury	Boscobel	Columbia St. Mary's
Ashippun	Boyd	Columbus
Ashwaubenon	Brillion	Cordova, IL
Athens	Bristol	Cottage Grove
Augusta	Brockway	Country Estates
Augusta (Bush Brothers)	Brodhead	Crocketts Resort
Aunt Nellies	Brokaw	Cross Plains
Avoca	Brookfield, Town of	Cuba City
Badger Army Ammo	Brooklyn	Curtiss
Bangor	Brownsville	Dane County Regional Airport
Baraboo	Bruce	Dane-Iowa (Mazomanie)
Baraga	Brule	Darien
Barneveld	Burlington WWTP	Darlington
Barron	Calamus	Deerfield
Bayfield	Cambria	Deforest
Beaver Dam	Cambridge	Dekorrra WWTP
Belleville	Cameron	Delafield



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Control System Installations - Page 2

Delavan	Fennimore	Hillsboro
Delavan Lake Sanitary District	Fish Creek	Hinsdale
Denmark	Fitchburg	Ho Chunk
De Pere	Fond Du Lac	Hobart
Devils Head	Fontana	Hoffman Estates
Dickeyville	Fontana-Walworth	Hokah MN
Dilhr	Footville	Hollandale
Dixon	Forest Junction	Holmen
Dodgeville	Forestville	Horicon
Dorchester	Fort Atkinson	Hustisford
Dover Town of (Eagle Lake)	Fort McCoy	Independence
Dubuque	Fox Lake Correctional	Influent Vfd
Duerson Foods	Fox Lake, City of	Jackson
Dwight, IL	Freeport	Janesville
Eagle Lake	Friendship	JM Plating - Rockford, IL
Eagle River	Galena	Johnson Creek
East Troy	Galesville	Juneau
Eastman Water	Genoa City Water	Kegonsa
Edgar	Genoa City WWTP	Kekoskee
Edgerton	Germantown	Kelly Lake
Elcho	Gilman	Kendall
Elizabeth, IL	Glidden	Kenosha (Pleasant Prairie)
Elkhart Lake	Granton	Keweenaw Bay
Elkhorn	Green Bay	Kiel
Elroy	Green Co	Kieler
Empire	Greenville	KNAPP
Endeavor	Greenwood	Koshkonong
Ephraim	Gresham	Kraft
Ethan Allen	Hammond	Kronenwetter
Ettrick	Hanover Park	L'Anse
Evansville	Hanover, IL	La Crescent
Fairchild	Harmony Grove - Okee	La Crosse
Fairwater	Haubstadt	La Crosse UMESC
Fall Creek	Heart of the Valley (HOV)	Lac Du Flambeau
Fall River	Hilbert	Ladysmith



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Control System Installations - Page 3

Lafarge	Mayville	Nekoosa
Lake Como	Mazomanie	Neshkoro
Lake Delton	McFarland	New Auburn
Lake Geneva	Melrose	New Berlin
Lake Mills	Mendota MHI	New Franken
Lancaster	Menomonie	New Glarus
Land O Lakes	Mequon	New Holstein
Ledgeview	Merrill	New Lenox
Lena	Merrillan	New Lisbon
Linden	Merrimac	Niagara
Little Chute	Middleton	North Freedom
Livingston	Miller Brewing	North Park
Lodi	Millidore	Northern Moraine
Lomira WWTP	Milton	Norway Town of
Loves Park	Mineral Point	Oakdale
Lowell	Minocqua	Oakfield
Loyal	Mole Lake - Sokaogon Chippewa	Oconto
Luxemburg	Moline, IL	ODells Bay
Lyndon Station	Mondovi	Omro
Madison	Monmouth	Onalaska
Madison MG&E	Monona	Oregon
Manawa	Monona, IA	Orfordville
Manitowoc LS	Monroe	Osceola
Maple Bluff Country Club	Montello	Oshkosh
Maple Leaf Farms	Montfort	Osseo
Marathon City	Monticello	Oxford
Marathon County Landfill	Montreal	Oxford FCI
Marenisco	MorganTown	Packwaukee
Maribel	Morrisonville	Paddock Lake
Marion	Mosinee	Pardeeville
Markesan	Mount Carroll	Park Falls
Marshall	Mount Horeb	Pell Lake
Marshfield	Mt. Hope	Peshtigo
Mattoon	Muscoda	Pewaukee
Mauston	Necedah	Phillips



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Control System Installations - Page 4

Pigeon River (Sheboygan)	Roberts	Sun Prairie
Pittsfield	Rock Springs	Superior Landfill (Horicon)
Pittsville	Rockland	Sussex
Plainfield	Rome H2O	System View +
Platteville	Roselle, IL	Theresa
Pleasant Prarie	Roxbury	Thorp
Pleasant Springs	Saddle Ridge	Three Lakes
Plover	Salem	Token Creek
Poplar Grove	Sharon	Tomah
Port Edwards	Sheboygan	Tomahawk
Port Washington	Shorewood Hills	Trempeleau
Portage	Shullsburg	Turtle Lake
Portland	Silver Lake	Utilities Inc
Poygan-Poysippi	Sister Bay	Valders
Poynette	Soldiers Grove	Valley Ridge
Prairie Du Chien	Somers	Verona
Princeton	Somerset	Viroqua
Racine	South Milwaukee	Walcomet
Randolph	South Wayne	Wallace Lake
Red Cliff	Sparta	Walworth
Red Cliff (U.W. Superior)	Sparta (Rolling Hills)	Warrens
Reedsburg	Spencer	Washburn
Reedsville	Spring Green	Waterford
Republic Township	St. Josephs	Waterford LS
Rewey	Stanley	Waterloo
Rhineland	Stetsonville	Waukesha
Rib Mountain Metro	Stevens Point	Waunakee
Rib Mountain Sanitary	Stockbridge	Waupaca
Rice Lake	Stockbridge-Muncie Indian Reservation	Waupun
Richfield, Town of	Stockton	Wausau
Richland Center	Stockton Cheese	Wausaukee
Ridgeway	Stoughton	Wauzeka
Rio	Stratford	Wazee
Ripon	Sturtevant	West Baraboo
River Falls	Suamico	West Bend



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

Control System Installations - Page 5

West Salem
Western Racine
Weston
Westport
Weyauwega
Weyerhaeuser
Wheatland
Whitehall
Whitelaw

Whitewater
Whiting
Windsor
Winneconne
Wiota
Wisconsin Dells
Wisconsin Rapids
Wittenberg
Wrightstown

Wyeville
Wycena
Wyoming, IA



Altronex Control Systems

A Division of L. W. Allen, LLC

Phone 608.222.8622
Fax 608.222.9414

4633 Tompkins Drive
Madison, WI 53716

References

Municipality – End User	Contact Name(s)	Contact Number(s)
Beaver Dam Water and Wastewater	Jeremy Klug	(920) 887-4624
Bloomer Wastewater	Bill Miller	(715) 568-2424
Madison Water	Joe Demorett	(608) 267-4902
Edgerton Wastewater	Jim Reilly	(608) 884-6531
Fort Atkinson Wastewater	Paul Christensen	(920) 563-7766
Greenville Water/WW	Cody Simonis	(920) 757-7276
Jackson Wastewater	Brian Kober	(626) 677-0707
Sun Prairie Water and Wastewater	John Krug	(608) 837-6292
Stevens Point Water and Wastewater	Chris Lefebvre	(715) 345-5262
La Crosse Water and Wastewater	Mike Anderson	(608) 789-7330
Black River Falls Water and Wastewater	Gene Larson	(715) 284-2777
Western Racine Wastewater	Jeff Bratz	(262) 534-6237
Wisconsin Dells Wastewater	John Brown	(608) 253-2171
Mt. Horeb Wastewater	John Klein	(608) 437-3101
Stoughton Wastewater	Brian Erickson	(608) 877-7421
Mosinee Wastewater	Kevin Breit	(715) 693-3840
Rib Mountain Metro Sewerage District	Andy Heise	(715) 359-7852
Menomonie Wastewater	Paul Sterk	(715) 232-2175
Richland Center Wastewater	Todd Fischer	(715) 647-3917
Whitewater Wastewater	Tim Reel	(262) 473-0560